

COMP PUMP® Series Fuel Pumps



Service Part Description	Gasoline	Alcohol/Methanol
Seal and Repair Kits	3164	N/A



Service Part Description	Gasoline	Alcohol/Methanol
Seal and Repair Kit	3164	N/A

Features At A Glance:


- Precision CNC-machined pump housings insure long life versus cast housings
- Gerotor design reduces noise versus louder vane and turbine pumps
- Tough Gerotor pump design eliminates vane breakage problems
- All aluminum components anodized for corrosion and wear resistance
- High efficiency electric motors deliver more output using less amps than competitors
- Includes complete hardware package for easy mounting
- For use with Weber, SU and Stromberg carbs

Model 70 Low Pressure Electric Fuel Pump

- Low pressure high volume, 12-volt fuel pump delivers 70+ GPH free flow @ 12.5 volts
- Delivers 30+ GPH at 4 PSI
- 3/8" NPT thread size, 5/16" or larger fuel line recommended
- Internal bypass regulator factory set at 4 PSI

Model 70 Low Pressure Electric Fuel Pump . . . 4070LP

COMP PUMP® SERIES 70LP FLOW VS. PRESSURE @ 12.5VDC
(FLOW INCREASES AS PRESSURE DECREASES)




Model 70 High Performance Electric Fuel Pump

- High pressure, 12-volt fuel pump delivers 70+ GPH free flow @ 12.5 volts
- Internal bypass regulator factory set at 6 PSI
- Delivers 30+ GPH at 5 PSI
- 3/8" NPT thread size, 5/16" or larger fuel line recommended
- Use regulator part number 4207, 4210, 4307M, 4316M or 4309 for best performance

Model 70 High Performance Electric Fuel Pump . . . 4070M

COMP PUMP® SERIES 70 FLOW VS. PRESSURE @ 12.5VDC
(FLOW INCREASES AS PRESSURE DECREASES)




COMP PUMP® Series Fuel Pumps

Model 110 High Performance Electric Fuel Pump

- High pressure, 12-volt fuel pump delivers 110+ GPH free flow @ 12.5 volts
- Internal bypass regulator factory set at 7 PSI
- Delivers 90+ GPH at 6 PSI
- 3/8" NPT thread size, 3/8" or larger fuel line recommended
- Use regulator part number 4207, 4210, 4307M, 4316M or 4309 for best performance
- Service parts available for use with alcohol/methanol applications

Model 110 High Performance Electric Fuel Pump
 Gasoline 4110
 Alcohol/Methanol 4110A



Service Part Description	Gasoline	Alcohol/Methanol
Brush Kits:		
Internally Serviced	3146A	3146A
Externally Serviced	3146	3146
Seal and Repair Kit	3165	3166



COMP PUMP® Series Fuel Pumps




Model 140 High Performance Electric Fuel Pump

- High pressure, 12-volt fuel pump delivers 140+ GPH free flow @ 12.5 volts
- Delivers 120+ GPH at 6 PSI
- Internal bypass regulator factory set at 12 PSI
- 3/8" NPT thread size, 3/8" or larger fuel line recommended
- Use regulator part number 4207, 4210, 4307M, 4316M or 4309 for best performance
- Service parts available for use with alcohol/ methanol applications

Model 140 High Performance Electric Fuel Pump

- Gasoline 4150
- Alcohol/Methanol 4150A



Also available packaged complete with matching regulator

For Gasoline –

- Complete with 4309 Regulator (Return Style) 4142
- Complete with 4207 Regulator Non Return Style 4140

Service Part Description	Gasoline	Alcohol/Methanol
Brush Kits:		
Internally Serviced	3146A	3146A
Externally Serviced	3146	3146
Seal and Repair Kit	3165	3166



4142



4140




COMP PUMP® Series Fuel Pumps

Model 250 High Performance Electric Fuel Pump

- High pressure, 12-volt fuel pump delivers 250+ GPH free flow @ 12.5 volts
- Delivers 230+ GPH at 6 PSI
- 3/4" -16 (#8 AN) thread size (1/4" NPT bypass), #8 AN or larger fuel line recommended
- Use regulator part number 4200, 4201, 4300M, 4301, or 4316M for best performance
- Service parts available for use with alcohol/methanol applications

Model 250 High Performance Electric Fuel Pump
Gasoline 5250

Model 250 High Performance Electric Fuel Pump
Alcohol/Methanol 5250A



Service Part Description	Gasoline	Alcohol/ Methanol
Seal and Repair Kits		
Side Return Port	3171	3172
Bottom Return Port	3167	3168



5250

